



कॉयर बोर्ड Coir Board

(सूक्ष्म लघु और मध्यम उद्यम मंत्रालय, भारत सरकार
Ministry of MSME, Govt. of India)

कॉयर हाउस, एम.जी. रोड., कोच्चि - 682016
Coir House, M.G. Road, Kochi - 682016
दूरभाष / Ph : 0484-2351900
ई-मेल / E-mail : info@coirboard.org
वेब/ Web : www.coirboard.nic.in, www.coirboard.gov.in

E 11713

फा.नं./File No. A-42011/2/2022-PUBLICITY

दि./Date: 23.11.2022

Smt. Sheeja Sunil Kumar
Kavallor House
P.O. Padiyur
Pin - 680688

Madam,

विषय/ Sub: Furnishing of information under RTI Act 2005 –reg.

Please refer to your RTI application, received at Coir Board on 26.10.2022, on the subject cited. Reply to the information sought for by you is furnished below :-

Question-1: How many permanent employees are appointed in the Coir Board from 01.07.2021 to 25.07.2022? Give their full name, Designation and address.

Answer : 24 Nos.
Details attached as Annexure-1

Question-2: How many temporary employees are appointed in the Coir Board from 01.07.2021 to 25.07.2022? Give their full name designation and address.

Answer : 91 Nos.
Details attached as Annexure-2

Question-3: How many permanent employees are appointed in the Coir Board head office from 01.07.2021 to 25.07.2022? Give their name, designation and address.

Answer : 6 Nos.
Details attached as Annexure-3

Question-4: How many permanent employees are appointed in the Central Coir Research Institute (CCRI) from 01.07.2021 to 25.07.2022? Give their name designation and address.


Answer : 2 Nos.
Details attached as Annexure-4

If first appeal, if any, against the above information may be made to the First Appellate Authority within 30 days of receipt of this letter to the following address.

Shri. M. Krishna,
First Appellate Authority,
Coir Board, M G Road,
Kochi- 682 016, Tel: 0484-2351900
E-mail id: rticoirboard2016@gmail.com

You are requested to kindly acknowledge the receipt of this communication.

Yours faithfully,



Central Public Information Officer
Tel: 0484-2351900
E-mail id: rticoirboard2016@gmail.com

Encl. as above.